


Tempo™ Portrait Large Flat Panel Wall Mount System **SKU: AS3PL**



In digital signage and DOOH advertising, every minute of downtime means lost revenue and frustrated customers – yet traditional mounts often make maintenance slow and complex.

Tempo™ Portrait is the ultimate wall-mount solution for digital signage, purposefully designed to streamline installation, simplify service and maximize uptime. Built with installer feedback and engineered for efficiency, it integrates a secure display mount with built-in storage and cable management to reduce clutter and streamline AV setups. Its innovative design features tool-less access and a 10.65" (27 cm) service extension for a total service depth of 12.6" (32 cm), allowing a single technician to reach devices quickly and safely without removing the display. The result? Faster installs, easier maintenance, and maximum uptime – so your content stays live, your operations run smoothly, and your ROI stays strong.

Simplify Service

- 12.6" (320 mm) of service depth and 10.6" (269 mm) of service extension
- Open wall plate for easy positioning of power and data sources and in-wall storage
- Home latch lockout clip prevents home latch from accidentally locking until pull cords are properly stowed

Product Features

- UL Listed for all common substrates – wood studs, steel studs, concrete, or block walls – Tempo ensures strength and reliability in any installation
- Storage panels can be pre-loaded with AV devices offsite for a truly streamlined installation experience – eliminating any surprises at the jobsite and ensuring peace of mind
- The pullout mechanism for service mode ensures ample access to stored devices, and consistently returns to its home position for uniform alignment across multiple displays
- Single-technician accessibility saves labor costs on maintenance calls and ensures quick service for clients, which maximizes valuable digital signage uptime
- Lockout clip prevents the home latch from accidentally locking until pull cords are properly stowed
- Technicians can lock the display in service mode with the lockout tab feature on the magnetic pull cord
- One part number, one box, one order – minimize last-minute shipping costs of missing parts

Feature Flexibility

- Wall plate and extending interface design facilitates centering display in the right position
- 10° of adjustable display tilt in 2.5° increments

Streamlined for Success

- Total installation depth facilitates ADA compliance (when display depth is less than 2" / 51 mm)
- Up to 1" (25 mm) post-install leveling adjustment

Integrated Storage

- Includes one 25.07" x 12.72" (637 x 323 mm) storage plate; second plate is optional
- Storage plate features quick release pins and can be installed on the top or bottom for best placement of devices
- Storage plate allows for 1 RU, 1.75" (44 mm) of storage clearance between the back of the display and the storage panel at 0-degree tilt

Specifications

Dimensions &

Measurements

| | |
|-------------------------|---|
| Lateral Shift | Yes |
| Overall Dimensions | 26.56" x 39.27" x 1.96" (675 x 997 x 50 mm) |
| Typical Screen Size | 55" - 100" (1397mm - 2540mm) |
| Wall Stud Compatibility | <ul style="list-style-type: none">• 16" O.C.• 24" O.C. |
| Weight Capacity | 200 lbs (90.7 kg) when installed to 20 gage structural steel studs, wood studs, concrete, or block walls. 125 lbs (56.7 kg) when installed to 25 gage steel stud walls. |

Characteristics & Features

| | |
|---------------------------------|---|
| Adjustability | <ul style="list-style-type: none">• Fixed• Lateral Shift• Micro-Adjustable• Tilt |
| Application | Wall |
| Color | Black |
| Includes PDU | No |
| Orientation | Portrait |
| Post-Installation Leveling Roll | 1" (25 mm) |
| Solution Type | Universal |
| Special Features | ADA Compliant |
| TAA Compliant | No |
| Tilt | -10° / +0° in 2.5° increments |
| UPC | 841872179049 |
| VESA Mounting Pattern | 200 x 200mm - 800 x 600mm |

Certifications & Warranties

| | |
|----------------|--|
| Certifications | <ul style="list-style-type: none">• cULus• UL |
|----------------|--|

Source: <https://www.legrandav.com/products/mounts/display-tv-mounts/tempo-flat-panel-wall-support-system/as3pl>