

## Tempo™ Portrait Medium Flat Panel Wall Mount System **SKU: AS3PM**

---



In digital signage and DOOH advertising, every minute of downtime means lost revenue and frustrated customers – yet traditional mounts often make maintenance slow and complex.

Tempo™ Portrait is the ultimate wall-mount solution for digital signage, purposefully designed to streamline installation, simplify service and maximize uptime. Built with installer feedback and engineered for efficiency, it integrates a secure display mount with built-in storage and cable management to reduce clutter and streamline AV setups. Its innovative design features tool-less access and a 10.65" (27 cm) service extension for a total service depth of 12.6" (32 cm), allowing a single technician to reach devices quickly and safely without removing the display. The result? Faster installs, easier maintenance, and maximum uptime – so your content stays live, your operations run smoothly, and your ROI stays strong.

### **Simplify Service**

- 12.6" (320 mm) of service depth and 10.6" (269 mm) of service extension
- Open wall plate for easy positioning of power and data sources and in-wall storage
- Home latch lockout clip prevents home latch from accidentally locking until pull cords are properly stowed

### **Product Features**

- UL Listed for all common substrates – wood studs, steel studs, concrete, or block walls – Tempo ensures strength and reliability in any installation
- Storage panels can be pre-loaded with AV devices offsite for a truly streamlined installation experience – eliminating any surprises at the jobsite and ensuring peace of mind
- The pullout mechanism for service mode ensures ample access to stored devices, and consistently returns to its home position for uniform alignment across multiple displays
- Single-technician accessibility saves labor costs on maintenance calls and ensures quick service for clients, which maximizes valuable digital signage uptime
- Lockout clip prevents the home latch from accidentally locking until pull cords are properly stowed
- Technicians can lock the display in service mode with the lockout tab feature on the magnetic pull cord
- One part number, one box, one order – minimize last-minute shipping costs of missing parts

#### **Feature Flexibility**

- Wall plate and extending interface design facilitates centering display in the right position
- 10° of adjustable display tilt in 2.5° increments

#### **Streamlined for Success**

- Total installation depth facilitates ADA compliance (when display depth is less than 2" / 51 mm)
- Up to 1" (25 mm) post-install leveling adjustment
- UL Listed

#### **Integrated Storage**

- Includes one 18.07" x 6.72" (459 x 171 mm) storage plate; second plate is optional
- Storage plate features quick release pins and can be installed on the top or bottom for best placement of devices
- Storage plate allows for 1 RU, 1.75" (44 mm) of storage clearance between the back of the display and the storage panel at 0-degree tilt

# Specifications



## Dimensions &

## Measurements

Lateral Shift	Yes
Overall Dimensions	19.56" x 29.99" x 1.96" (497 x 762 x 50 mm)
Typical Screen Size	38" - 50" (965 mm - 1270 mm)
Wall Stud Compatibility	16" O.C.
Weight Capacity	75 lbs (34 kg)

## Characteristics &

## Features

Adjustability	<ul style="list-style-type: none"><li>• Fixed</li><li>• Lateral Shift</li><li>• Micro-Adjustable</li><li>• Tilt</li></ul>
Application	Wall
Color	Black
Includes PDU	No
Orientation	Portrait
Post-Installation Leveling Roll	1" (25 mm)
Solution Type	Universal
Special Features	ADA Compliant
TAA Compliant	No
Tilt	-10° / +0° in 2.5° increments
UPC	841872179056
VESA Mounting Pattern	200 x 200mm - 400 x 450mm

## Certifications &

## Warranties

Certifications	<ul style="list-style-type: none"><li>• cULus</li><li>• UL</li></ul>
----------------	----------------------------------------------------------------------

---

Source: <https://www.legrandav.com/products/mounts/display-tv-mounts/tempo-flat-panel-wall-support-system/as3pm>