
MODEL L-75ix DIAGRAM with soundbar mount - primary cabinet dimensions






- 1. NEXUS 21 RECOMMENDS THIS INSTALLATION BE COMPLETED BY A LICENSED CONTRACTOR AND ELECTRICIAN
- 2. ALL DIMENSIONS SHOWN IN INCHES WITH CENTIMETERS SHOWN IN []
- 3. THE CABINET BOX SHOWN IN THE DIAGRAM IS FOR REFERENCE ONLY AND IS NOT PROVIDED WITH THE LIFT SYSTEM
- 4. FOR REFERENCE DIMENSIONS, SEE PAGE 2 OF THIS DIAGRAM
- 5. WHEN DETERMINING TV HEIGHT, ALWAYS USE MANUFACTURER SUPPLIED "TV WITHOUT STAND" HEIGHT
- 6. LIFT MECHANISM IS POWDERCOATED BLACK STEEL. COLORS IN DIAGRAM ARE FOR CLARITY ONLY.




MODEL L-75ix DIAGRAM with soundbar mount - Reference Cabinet Dimensions



NOTES: 1. TOP SUPPORT BRACKETS ALLOW LID PLATE TO BE ADJUSTED FLUSH WITH TOPSIDE OF LID 2. LID IS DESIGNED TO FLOAT WITH PROVIDED SPRING LOADED PINS - LID MUST BE INSTALLED PROPERLY FOR SAFETY



MODEL L-75ix DIAGRAM WITH SOUNDBAR MOUNT - LIFT IN MOTION



NOTES: 1. HEIGHT LIMIT INSERT IS USED TO REDUCE THE TRAVEL BY UP TO 48" [121.9] WITH THE MAX TRAVEL BEING 52" [132.1]